

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"7199680"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:16
L2	2	"7227428"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:16
L3	3	"6992548"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:16
L4	4	("5982256" "6002305" "6081241" "6380825"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 12:17
L5	8	("20040233117" "6421021" "6677899" "6822615" "6861996" "6894654" "6919854" "6992548").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 12:18
L6	7	("4727342" "5208561" "5982256" "6133805" "6356172" "6380825" "6788918").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 12:19
L7	1169	dielectric adj waveguide and (resonator resonance resonant\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 12:26
L8	1051	7 and (wavelength wave adj length wave\$length)	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 12:27
L9	7	("4216448" "4246555" "4772863" "5398009" "5936490" "6611183" "6791438").PN. OR ("6977566").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 12:31
L10	16	"4246555"	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 12:35
L11	608	333/208	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 12:36

L12	453	(333/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 12:36
L13	138	12 and (te te\$2 transverse adj electric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:38
L14	52	12 and (te transverse adj electric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:38
L15	2447	((333/126-129) or (333/132) or (333/134- 137)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 12:58
L16	1050	15 and ground\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:58
L17	24	16 and (te transverse adj electric) and (tem transverse adj electromagnetic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:59
L18	1	10/563217	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:01
L19	897	(333/126-129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:02
L20	445	(333/132).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:02
L21	1383	(333/134-137).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:02

L22	866	(333/219).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:02
L23	784	(333/219.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:02
L24	453	(333/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:03
L25	472	(333/239).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:03
L26	882	(333/248).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:03
L27	413	(333/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 13:03
L28	400	(19 20 21 22 23 24 25 26 27) and (TE transverse adj electric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:04
L29	134	28 and (tem transverse adj electromagnetic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:05
L30	5804	(19 20 21 22 23 24 25 26 27)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 13:09
S1	15524	(stripline conductor microstrip coplanar) and waveguide and (via holes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 12:21

S2	92	S1 and 333/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 12:22
S3	14	S2 and coupling adj (window opening gap slot iries)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 12:24
S4	1	"7132905" and ground	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 12:32
S5	1425	Ground\$4 and waveguide and (conductor line stripline microstrip trace) and (Te transverse adj electric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 12:39
S6	218	S5 and (half 1/2) adj wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 12:40
S7	69	S6 and ("1" one) adj wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 12:41
S8	10	((("2001274605") or ("2002135003") or ("2002246808") or ("2002026611")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 12:45
S9	9	"1300908"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 13:47
S10	451	333/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 13:51
S11	113	S10 and waveguide and wavelength and (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 13:53

S12	32	S11 and ground	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 13:53
S13	39	S11 and ground\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 13:53
S14	8	S13 and (te transverse adj electric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 13:54
S15	0	"1020050043554"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:00
S16	1057	("1" one) adj wavelength with (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:02
S17	212	S16 and (1/2 half) adj wavelength with (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:03
S18	43	S17 and waveguide with (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:04
S19	40	S18 and coupl\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:04
S20	8	S19 and ground\$4 and (via hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:05
S21	375	("1" one) adj wavelength near3 (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:06

S22	3956	21and (1/2 half) adj wavelength with (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:07
S23	82	S21 and (1/2 half) adj wavelength with (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:07
S24	19	S23 and waveguide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:07
S25	4	S24 and ground\$4 and (via hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:07
S26	496	333/212	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:10
S27	692	((333/212) or (333/208)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/28 14:11
S28	463	S27 and waveguide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:13
S29	198	S28 and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:14
S30	34	S29 and (te transverse adj electric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:15
S31	74	S27 and (te transverse adj electric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:16

S32	7	("4216448" "4246555" "4772863" "5398009" "5936490" "6611183" "6791438").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/28 14:17
S33	33	Fukunaga near3 tatsuya	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/28 14:29
S34	100	Fukunaga near3 tatsuya	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:30
S35	115	S27 and (te.transverse adj electric "te.sub.01" "te.sub.10")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:41
S36	64	S35 and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:45
S37	1381	"333"/\$.ccls. and (te.transverse adj electric "te.sub.01" "te.sub.10")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:46
S38	790	S37 and wavelength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:47
S39	247	S38 and ground and waveguide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:48
S40	197	S39 and (via hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:49
S41	198	333/208.ccls. and (via hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:53
S42	182	333/212.ccls. and (via hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:54

S43	79	(S41 S42) and (te transverse adj electric "te. sub.01" "te.sub.10")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:55
S44	15	"4057772"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 16:15
S45	9	"6426725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 10:50
S46	689	333/219.1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 10:52
S47	320	S46 and ground\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 10:53
S48	168	S47 and (wavelength wave adj length wave \$length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 10:54
S49	3	("4751480" "5191308" "5371482").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 11:24
S50	0	("5512868").URPN.	USPAT	OR	ON	2008/03/10 11:25
S51	3556	((333/219.1) or (333/219) or (333/208) or (333/239) or (333/248) or (333/227)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 11:26
S52	465	S51 and (te te\$2 transverse adj electric) and ground\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:27
S53	7	"6057747"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 11:56

S54	4	((("6380825") or ("6359535") or ("6057747")),PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 11:58
S55	0	S54 and (resonat\$4 resonance resonant\$4) and (wavelength wave adj length wave\$length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:01
S56	6	"6380825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:01
S57	4	S56 and (resonat\$4 resonance resonant\$4) and (wavelength wave adj length wave\$length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/10 12:01

3/10/08 2:20:05 PM

C:\Documents and Settings\KGlenn\My Documents\EAST\Workspaces\10560857.wsp